

certificate

no. **BAU 24033**

dated 2024-02-21

Translation

In any case, the German original shall prevail.

## EuroTest Certificate

Name and address of the holder of the certificate: (customer) SBH Tiefbautechnik GmbH  
Ferdinand-Porsche-Str. 8  
52525 Heinsberg  
GERMANY

Product designation: **Slide rail supported trench shoring system, made of steel**

Type: Type 220 - single slide rail  
Type 375 and 405 - double slide rail

Testing based on: EN 13331-2:2002  
EN 13331-1:2002  
DIN 4124:2012

Test report: 2018 0176 008, 2023 0135 01

Further details: Single slide rail :  
Slide rail Type 220 up to length of 4,50 m, max. M=307 kNm  
Corner slide rail up to length 4,50 m, max. M=132 kNm  
Double slide rail:  
Rail Type 375 up to length 6,50 m, max. M=672 kNm  
Rail Type 405 up to length 7,50 m, max. M=927 kNm  
Corner slide rail up to length 7,50 m, max. M=328 kNm  
  
Intended use:  
The permissible earth pressure loads can be found in the manufacturer's instructions for use, depending on the dimensions of the device.  
  
Subsequent certificate to number BAU 19029.  
  
The manufacturer is also Certificate holder.

The type tested complies with the test basis specified above.  
The holder of the certificate is entitled to affix the ET-mark shown overleaf to the products complying with the type tested.

The present certificate including the right to affix the ET-mark is valid until: **2029-02-13**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification.

Dipl.-Ing. (FH) Franz Welsch  
Deputy Head of Certification Body

# ET-mark

---

